PS

PREVE
MAINTEN
MONTH

INDEX

ISSUES 146-151
(Jan-Jun 1965)



HOW FAST 'N HOW FAR

COULD YOUR OUTFIT MOVE IF THE WORD CAME DOWN TO **GO?**

P.S

PREVE
MAINTEN
MONTH

INDEX
ISSUES 146-151
(Jan-Jun 1965)



PS THE PREVENTIVE MAINTENANCE MONTHLY

INDEX NO. 11
to
ISSUES 146 - 151

(January - June 1965)

An index to the preceding six issues of PS Magazine is published twice yearly by the Department of the Army for the information of organizational maintenance and supply personnel. Distribution is made through normal publication channels by the "Pin-Point" distribution method.

Within limits of availability, older issues may be obtained direct from PS Magazine, Fort Knox, Kentucky, 40121.

PS Magazine wants your ideas and contributions, and is glad to answer your questions. Names and addresses are kept in confidence. Just write to:

DISTRIBUTION:

In accordance with requirements for PS Magazine submitted on DA Form 12-4. One copy of this index is distributed for every three copies of PS Magazine required.

INDEX

TO

PS, THE PREVENTIVE MAINTENANCE MONTHLY

ISSUES 146 to 151 INCLUSIVE

	PS	Page
A		
AEROSOL CANS (See SAFETY)		
AIDS, MAINTENANCE		
ASubSch 38-1 (11 Sep 64) TAERS	151	65
AIR COMPRESSOR		
Davey M-210-RP--Maintenance	149	60
Davey P4--Battery care	148	63
Removed from tool sets and kits	148	56
AIRCRAFT ARMAMENT		
2.75-in Rocket Launcher bore brush, XM3	147	40
AIRCRAFT, ARMY		
Fixed Wing		
Observation Series		
O-1 (Bird Dog)		
Engine--Don't over-tighten fuel strainer	151	23
Oiling chafing--4 ways to prevent	151	27
Utility Series		
U-1A (Otter)		
Engine Tool Kit--No longer supplied	151	26
Wind deflector cools cockpit	149	50
U-6 (Beaver)		
Litter Sock--Remove to protect AN/APX-44	148	16
U-8 (Seminole)		
AN/ARC-55--Lift RT349 up and out to prevent damage	151	26
Propeller dome--Alignment marks no longer used	147	38
U-8D (Seminole)		
Hood can't be ordered separate from instrument panel light assembly	149	53
Missing nut makes nose gear inoperative	151	21

	PS	Page
AIRCRAFT, ARMY (Cont'd)		
VTOL Aircraft		
OV-1 (Mohawk)		
Ejection seat streamer--Protect it from damage	148	17
Engine Oil Filter--Requisition details	147	65
Engine Starter-Generator--Make tool to remove attaching nuts	150	38
Fuel Control--Use new servo filter	147	41
CV-2 (Caribou)		
Don't use carburetor air switch at filter position during starts	151	20
Rotary Wing		
Helicopter Series		
UH-1 (Iroquois)		
Tail boom attaching bolts--Make tool to tighten	148	18
UH-1B (Iroquois)		
Bore brush, XM3--for Rocket Launcher	147	40
Collective Pitch Control--Use clamp to separate hydraulic lines	150	37
OH-13 (Sioux)		
Engine work platform and ladder	151	22
Ground-handling wheels--Use the correct axle	148	15
Tail rotor drive shaft--Don't over-lube couplings	148	14
Tail rotor gear box--Check for leaks	147	38
OH-13E, G (Sioux)		
Tachometer generator--Change adapter with the generator	147	40
UH-19 (Chickasaw)		
Clamshell doors can pinch loose wire	151	21
CH-21 (Shawnee)		
Tail Rotor Hub--Don't over-fill lag damper	149	52
OH-23 (Raven)		
Collective free play--Measure over entire system	147	39
Compass--Adverse affect caused by RT-294	148	19
Engine Exhaust Manifold--Don't use for hand-hold	150	39
TWX requires overspeed reports	151	22
OH-23D (Raven)		
Engine breather--Re-route to prevent freezing	147	65
OH-23F (Raven)		
T/R drive bolts face aft on forward slip joint	151	24
AIRCRAFT, ARMY, GENERAL		
Basic issue items list (BIIL)listed in TM	147	37
EIR--Use to follow up accident message	149	53
Engine--Spark plugs	148	65
Fueling--Take proper precautions	146	37
Hardware Kit--SB 1-15-14 (22 Oct 64) updated	150	39
Inspections--Use own experience for manhour guide	149	49

	PS	Page
AIRCRAFT, ARMY, GENERAL (Cont'd)		
Life preservers		
FSN's for 3 basic types of the future	146	58
Magnetic particle inspection--Powders for	148	16
Parachutes--Inspection and handling	150	40
Repaint jobs --Protect 'em	146	46
Safety Belts--Care of	148	12
"Ship of the Month" placard	151	25
Teflon hose jacket wear limits		
(TB AVN 23-73...May 64)	151	23
Tool Kit, Aircraft Mechanics--Peg tools for inventory	151	27
TWX recaps aid subordinate units	151	25
ALARM		
VG E41R3--Carrier and storage box	148	57
AMMUNITION		
New DA Form 581 (May 64)	151	65
AMPHIBIOUS		
Life preservers		
FSN's for 3 basic types of the future	146	58
ANTENNAS		
AT-912--Preventing Damage	147	50
ANTI-FREEZE		
Record on DA 2408-2	148	28
ARTILLERY		
Gun Book Container--Let support remove	149	28

B

BATH UNIT, PORTABLE M1958		
Grounding System--MWO tells how to install	151	62
Strainer--Protect with bucket	151	62
BATTERY		
BB-433/A--Torque correction	147	44
FSN for battery box paint	147	65
Signal--Remove when not in use	149	65
BLOWER MOTORS		
Check M48A3 & M60 Series after each operation	149	46
BRIDGE ERECTION BOATS		
Stowing gear properly	148	55

C

CABLE
Antenna--Don't mix CG-1334/U and CG-692/U. 147 53
FSN for M30, M43, M45 mikes 147 47
CALENDAR
FSN for Julian dated 150 65
CALIBRATION (See PUBLICATIONS)
CARRIER, CARGO, M116
Breaking parking brake cables 146 22
CARRIER, COMMAND AND RECONNAISSANCE M114
Interior Paint 150 24
Introduction--Part II 148 37
CARRIER, PERSONNEL, ARMORED M113
Interior Paint 150 24
FSN for caulking compound 151 19
Fuel Tank Access Cover--Hardware FSN's 150 24
New FSN for hose 150 24
CARRIER, RECON, M114 and M114A1
Introduction Part 1 . . . . . 147 2
CARRIER, RECON M114A1
Fixing fan shaft bearing freeze up 151 19
CBR
Alarm Unit, VG E41R3 . . . . . 148 57
Use of prescription glasses with M17 mask 149 65
CHAINS, TIRE
Maintenance, right sizes 149 37
CHOPPING BOARD
Cleaning 148 57
CIRCUIT, PRINTED
Graphite--Don't mark with pencil 148 26
CLASSIFICATION, VEHICLE
Bridge weight 146 60
CLEANING
Coin-operated dry cleaning machines--Fluid
can be deadly 146 65
CLOTHING
Wet Weather--Care of 148 52
COOLING SYSTEM
Hose Care 150 8

D

DAVY CROCKETT
MWO's--PM tips for new parts installed 151 4
DECALS
FSN's for star 5 point 151 57

E

EIR DIGESTS 151 56
ELECTRICAL CONNECTORS
Plugs, AC replacement--Get thru
regular supply channels 148 60
ELECTRICAL SYSTEM (WHEELED VEHICLE)
Low voltage circuit tester manuals 146 23
Spark plugs, saving 151 12
ELECTRICAL, TESTING
LVCT, on-off SOP 150 25
ELECTRONICS
Fighting corrosion 151 53
ENGINE, LIQUID COOLED
Antifreeze record 148 28
ENTAC
Binoculars--Don't use 'em for handles. 147 56
Look for cracks on nose switch retaining ring 148 10
EQUIPMENT RECORDS
Historical
DA Form 2408-1 . . . . . 148 64
DA Form 2408-2 . . . . . 148 28
DA Form 2408-3 . . . . . 147 58
DA Form 2408-5 . . . . . 147 65
Log cover 149 65
Maintenance
DA Form 2407 . . . . . 147 58
Mailing address 149 65
EQUIPMENT SERVICEABILITY CRITERIA 147 1
ESC LIST (See PUBLICATIONS)

F

FIELD RANGE, M1937
Preservative--Use for temporary storage 151 63

	PS	Page
FILTER		
Oil & Fuel for M52A1, M54A1 5-ton truck	151	14
FLAME THROWER		
M132, SP, servicing	151	3
FLAME THROWER, M2A1-7		
M7 Gun, new retainers	151	2
FORMS, DA, DD, SF, ETC.		
DA Form 12-32--Revised	150	65
DA Form 314--Template for non-work days	146	64
DA Form 2028--For changes in manuals	151	55
DA Form 2062, H/R signing	151	58
DA Form 2064, Register dating	151	59
DA Form 2408-3	146	65
	147	58
DA Form 2408-5	147	65
DA Form 2408-7--Use for inventory of commercial vehicles	151	65
New Ammo Form (DA Form 581)	151	65
FUSES (See SWITCHBOARD SB-86/P)		

G

GENERATOR		
Airesearch 70-2, 30KW		
Battery Boxes--Don't remove	147	63
Bogue, 3KW--Covered by TM 5-6115-275 series	148	62
Caterpillar, D353, 150KW	147	62
Grounding	148	65
Model JS-6-G, 45KW		
Tightening oil filter	147	62
Removed from tool sets and kits	148	56
Stewart-Stevenson, 45KW		
4-Pole receptacle--Insulate	147	63
GENERATOR, 3-KW, CONTINENTAL		
Fuel Selector Valve Handle	151	61
GENERATORS, 5-KW		
Replacing ID plates	151	60
GENERATOR, 10-KW, KURZ & ROOT		
Wiring Data Plates--See TM	151	61
GENERATOR, 15 KW, JETA MD151815-WA		
Excess Vibrations	147	62
GENERATORS, 30-KW, JETA		
Synchronizing Lamps	151	61
GENERATOR SET		
Bolts, mounting--Keep tight	148	62
PU-126/U cycles per second reading	151	47

	PS	Page
GUN, MACHINE, M37, 30-CAL		
Rear Sight--Damage won't 'kill' weapon	149	28
GUN, MACHINE, 50-cal, M85		
Be Your Own Inspector	146	2
GUN, MACHINE, M60, 7.62-MM		
Bolt and operating rod yoke--Repairs by armorer	149	24
Carrying case--Use it right	147	54
Dry-Firing--Never do it with barrel out.	149	22
Gas cylinder plug--How to keep from losing it	147	54
Gas Piston--Don't use steel wool on it	151	11
Lock Spring--Now in supply	150	65
PLL--Now added to parts manual	149	28
GUN, SELF PROPELLED, M107		
Be sure to stake the final drive coupling locknut	150	22

H

HANDSET		
H-138--Put tape on strain	149	59
H-207--Relief boot	149	59
HAWK		
Battery Control Central--Lifting info	148	11
Cables--Assemble LCU cable connector right	148	8
Launcher		
LO Change 1 (7 Feb 64)	148	9
HEADSETS		
H-161/U--Tape the cord	146	55
TDH-39 replaced by H-144A/U	148	65
HEADSET-MICROPHONE KITS		
CX-8655 Cable--Tape it	146	54
HELMET, APH-5, FLYING		
Launcher M386		
M405 Handling Unit		
HELMET, CREWMAN'S (See INSPECTION)		
HONEST JOHN		
Rocket		
M31--Go easy when tightening latch pins	148	10
HOSE		
Cooling System	150	8
HOWITZER, SELF-PROPELLED, 105-MM, M108		
Percussion Firing Spring--In pinch, use one from other 90-mm gun	149	28
Rectifier cooler motor	150	23

	PS	Page
HOWITZER, SELF-PROPELLED, 155-MM, M109		
Make temporary graphical firing scales	151	7
Rammer over-ride button	150	20
Rectifier Cooler Motor	150	23
Remove screw from rammer tray	151	7
HOWITZER, 8", SELF-PROPELLED, M110		
Be sure to stake the final drive coupling locknut	150	22
HOWITZER, TOWED, 105-MM		
Recoil Oil Gun--Order entire item if part gives out	149	25

I

INSPECTION		
Be Your Own Inspector		
Helmet, Crewman's	146	24
M85 Machine Gun	146	2
M416 1/4-Ton Cargo Carrier	150	15
INTRENCHING MACHINE		
Unit Rig 4262--GH grease	149	64

K

KIT, PROTECTIVE, M5A1	148	61

L

LANTERN, GASOLINE		
Burner Assembly--Check Pipe Nipple	146	61
LENS TISSUE		
Don't use silicone tissue	151	8
LIGHT, EXTENSION		
Make bracket to prevent plug from being pulled out	151	64
LITTLEJOHN		
XM31 hoisting unit tripod--turn it in if you've got an M572 handling unit	148	11
LUBRICATION		
Discontinued red markings on fittings	146	18
5-Ton truck winch	151	15
GH (high temperature) grease	149	64
Preventing, fighting corrosion	151	48
Trailers XM527, XM539 landing gear ratchet handle	148	28

M

MAINTENANCE
For Combat Readiness 151 1
Knowledge is Power 150 1
Preventing, fighting corrosion 151 48
Train for maintenance 148 1
MARINE
Life preservers
FSN's for 3 basic types of the future 146 58
MARKING EQUIPMENT PAINT 151 57
MAST ASSEMBLY
MP-65 ( )--Don't use ground ring of AB-15/GR 149 57
MATERIALS HANDLING EQUIPMENT
Tires, changing 148 62
10,000-lb rough terrain truck--Extra support
for carrying M409 warhead container 148 5
MATERIEL READINESS
ESC Ratings on Electronics 150 51
MATTRESS
Pneumatic--Repair of 148 52
METASCOPE
Battery--Care in installing 147 57
MULTIMETER
AN/URM-105--Front panel screws need washers 149 59

N

NIKE, GENERAL
Pits--Keep them clean 148 3
NIKE HERCULES
Acq Antenna (receiver-transmitter,
frequency-power meter) 148 7
Care of calibrated chassis 148 6
Launcher
Change wording on instruction plate 148 2
Look for lube fitting under shield 148 2
Missile
Don't lose missile battery protective caps 148 4
Return M409 & M410 shipping containers 146 65
Missile Track Radar--Replace housing
assembly pre-formed gasket carefully 148 3
Radar Control Van
A-Scopes use green windows 148 4
Trouble shooting care 148 6

P

PAINT
Interior for M113 and M114 . . . . . 150 24
Preventing, fighting corrosion 151 48
PAINT FOR MARKING EQUIPMENT 151 57
PERISCOPE
Avoid aiming into sun 146 27
PISTOL, M1911A1, .45-CAL
PLL-Now added to parts manual 149 28
POWER SUPPLY
PP-112 Spare fuse storage 150 52
PROTECTIVE MASK CARRIER
Cleaning--Use brush, don't dunk. 151 63
PROTECTIVE MASK M17
Carrier Care 147 64
Filter Elements--There's a left and right 151 63
Worn flocking on inlet valve caps 147 64
PS MAGAZINE DISTRIBUTION 150 6
PUBLICATIONS
AR 711-17, DI codes 150 7
ASubSch 38-1 (TAERS) 151 65
Basic issue items list (BIIL) listed in TM 147 37
Calibration--TB 750-93-10 . . . . . 150 65
DA Circular 750-3 . . . . . 148 65
DA Cir 750-6 (Scheduled Services) 149 65
DA PAM 750-38--Quote AG Bulletin when ordering 148 65
DA Pamphlet on readiness 146 65
Distribution 150 2
EIR Digests 151 56
Electronics ESC 150 51
ESC List--See DA Circular 750-7 . . . . . 150 65
New 146 28
147 45
148 28
149 54
150 28
151 28
No. 2 Common Tool Kit--(See TOOLS)
Parts manuals for operators 147 60
SB 9-224 (M88 thermal flasher) 146 22
See RADIAC SETS
Shop Library 148 56
Supply Catalogs--Pinpoint distribution 150 4
TB 9-131-2--Classified Missile-Rocket equipment 148 11
TM 9-2300-223-20P (Oct 64) authorized stockage list. . . . 148 28
24-volt low voltage circuit testers 146 23

R

RADAR SET
AN/PPS-4--Switch positions 149 55
RADIAC METERS
IM-108 should be turned in 150 55
RADIAC SETS
IM-156/PD and IM-108/PD
Calibration pub info 147 65
RADIO RECEIVERS
R-390/URR, R-390A--Keep break-in switch on 151 44
RADIO SETS
AM-65 Amplifier--Selector switch cautions 149 58
AN/ARC 27 and 55
Blower motor brushes 147 43
AN/ARC-51--Introductory article 146 48
AN/ARC-54--Introductory article 150 48
AN/GRC-3
Pins, Contact--Care in cleaning 148 27
AN/GRC-19
Clamp and knobs--Don't overtighten 148 20
AN/GRC-50--How to remove antenna mast clamp 146 56
AN/PPS-4--See SB 11-506 for battery charging cable 150 55
AN/PRC-6--Storing whip antenna 150 53
AN/PRC-6, & 8 thru 10
Keep out moisture 148 24
AN/PRC-8, -10
Pulling Damages Battery Cable 151 43
Turn power switch off to connect battery 151 43
AN/PRC-41, 47
Battery cover strap--Keep with battery 148 25
AN/PRC-47
Screws, Captive--Keep intact 148 22
Antenna--Connector care 147 49
AN/TRC-24
Proper installation of 4X-150A tube 151 46
Tracks 151 45
AN/VRC-12 series
Blower guard for RT 146 65
Tube--Care in removing and replacing 148 26
AN/VRC-24--Antenna jack care 151 42
AN/VRQ-3--FSN for cover 146 52
Fighting corrosion 151 53
Keep antenna jacks and joints clean 151 42
RT-66, 68--Use correct RF antenna cable 149 56

	PS	Page
RADIO SET CONTROL GROUP		
AN/GRA-39--General PM	146	50
RADIO TRANSMITTER		
AN/FRT-22 and 26		
Flipping filament switch	147	49
Keep Dogtags away	150	51
RECEIVER-TRANSMITTERS		
RT 178 and RT 349--Tuning capacitors	147	42
Tuning for RT-66 thru 68	147	51
REPORTS		
Organizational maintenance	146	65
RIFLE		
Oil container--try 2-oz bottle for field use	147	55
RIFLE, M1, Cal 30		
Parts--Interchangeable with ones on M14	151	11
RIFLE, M14, 7.62-MM		
M2 Bipod--Seat it right	147	55
Parts--Interchangeable with ones on M1	151	11
Selector--Your mission decides if you get it	151	11
TM--Newest one also covers M14E2	151	65
RIFLE, M16 and M16E1, 5.56-MM		
Maintenance tips for new weapon	150	58
RUNNING SPARES, SIGNAL		
Where to store them	150	52

S

	PS	Page
SAFETY		
Aerosol Containers--Care, storage and disposal	150	64
SHELTERS		
AN/GRC-46--Heater exhaust pipe fix	147	48
S-56--Weatherstrip switch	151	40
SHELTERS, COMMUNICATION		
Air it when using cleaning compounds	146	57
SIGNAL, TURN		
Wheeled vehicle--Repair parts	148	55
SOLDERING GUN, TL-650/U		
Getting replacement	149	57
SPARK PLUGS		
Platinum tip	148	65
SPECIAL PURPOSE VEHICLES		
M4 Service Unit--fueling M132	151	3
STEAM CLEANING		
Done by support personnel	149	44

	PS	Page
STORAGE		
Publications Library	148	56
SUPPLY		
DA Form 2062, H/R signing	151	58
DA Form 2064, Register dating	151	59
Property records listing classified info	148	59
Recording/Reporting items in DA Cir 725-5	149	65
Repair parts SOP	149	2
Requisition Codes	150	7
Tank, automotive repair parts, TM 9-2300-223-20P	148	28
Using DD Form 1150	148	58
SWITCHBOARD		
SB-22/PT--Dry it when it gets damp or wet	146	56
SB-86/P		
Treat switchboard with care	151	38
Use 1-1/4 amp fuse only	148	65

T

TANK, M48A1		
Save end housing assemblies	146	27
TANK, M48A3		
Save end housing assemblies	146	27
TANK, M60		
Bore evacuator--Use wood block to remove	149	27
Gun cannon--Firing pin must be dry	149	27
TANK, M60A1		
Breech operating cam, reversible--		
Use according to temperature	149	26
Super Elevation--Don't try it with gun in travel lock	151	6
TANK, MEDIUM, M60-SERIES & M48A3		
Check blower motors	149	46
TANK RECOVERY VEHICLE M578		
Be sure to stake the final drive coupling locknut	150	22
TELEPHONE		
TA-43/PT and TA-312/PT		
Cover cotter pin FSN	147	48
TELESCOPE		
Avoid aiming into sun	146	27
TELETYPEWRITER		
Access Windows--Care and cleaning needed	151	41
TT-4/TG--How to adjust line increase switch	147	46

	PS	Page
TEST SETS		
AN/PRM-15--Saving batteries	150	54
AN/USM-81--How to clean filter	146	53
How to cure static electricity's affect on meters	150	55
ME-57/U--How to use dial	150	57
TS-352( )/U--Dangling test leads are dangerous	150	57
TS-382 ( )/U--Dial fix	150	56
TV-7 ( )/U--Line adjust control know-how	147	52
TIRES		
Mounting sleeves for M38A1	146	19
Pressure for M38A1C	150	14
TOOLS		
MIG Set--Use on 110 (or 115) AC circuit only	146	62
Sets-Kits		
Generators and air compressors removed from	148	56
2d ech. No. 2 common--New SC 4910-CL-A72	150	65
Signal		
Tube Remover--Cool to pull	148	27
TRACKED VEHICLES		
Spark plugs, saving	151	12
TRACTOR		
IHC TD-24--GH grease	149	64
TRAILER, 1/4-TON, M416		
Be Your Own Inspector	150	15
TRAILER, SEMI, 6-TON		
Oiling landing gear ratchet handle	148	28
TRUCK, 1/4-TON (G-758 SERIES)		
New horn	149	39
TRUCK, 1/4-TON, M38A1		
FSN for left, front, axle shaft	150	14
Tire mounting sleeves	146	19
Tire pressure for M38A1C	150	14
TRUCK, 1/4-TON M151		
How to cut down on cotter pin wear	146	18
Lug nut for spare wheel	149	43
Welding of body cracks	146	19
TRUCK, 3/4-TON, GENERAL		
Cluster plate receptacles	146	20
TRUCK, 3/4-TON, G741 SERIES		
FSN for tailgate hook	146	21
Horn contact insulator	151	18
M37B1, bum distributor cap	151	18
Spacers under left springs	151	18
TRUCK, 3/4-TON, M37		
Correct spark plug gap	149	38
TRUCK, 3/4-TON, M37B1		
Correct spark plug gap	149	38

	PS	Page
TRUCK, 2 1/2-TON, G742 SERIES		
Chain for front winch	149	45
Engine mounting bolts	150	13
New horn	149	39
TRUCK 2-1/2-TON, M211		
Splash shield for front bumper	149	48
TRUCK, 2-1/2 TON, M35A1		
Bleed fuel lines	149	38
Dipstick, rounding sharp corners	149	38
Ordering and use of stop control cables	150	12
TRUCK, 5-TON, G744 SERIES		
Bridge Transport (M55)		
Loading Roller--Use pressure relief lube fitting	148	54
Front winch lubing	151	15
Oil & Fuel filter (M52A1, M54A1)	151	14
Transmission, steering gear vents	151	17
TRUCK, 5-TON, M62		
Pivot post PM indicators	151	16
TRUCK, 10-TON, G792 SERIES		
Record tachometer readings	148	64
TRUCK, GENERAL		
Steam clean job for support	149	44
TRUCK, GENERAL, TACTICAL		
Check ignition switches	149	39
Propeller shaft, right way to mount--Reason why	149	48
TRUCK, TELEPHONE CONSTRUCTION		
V-17A, V-18A Equipment lists	151	41
TRUCK, WRECKER, 5-TON, M543		
Boom cable connector	146	22
TUBES, ELECTRON		
Don't discard good ones	151	37

V

VEHICLE, COMMERCIAL		
Inventory--Use DA Form 2408-7	151	65
VEHICLES, TACTICAL, GENERAL		
Bridge weight class	146	60
Directional signal repair parts	148	55
Lubrication fittings, discontinued red markings	146	18
Pressurized fuel system	149	40
Tire chains, maintenance, right sizes	149	37

VEHICLE TANK RECOVERY, M88
New thermal flasher 146 22

W

WELDING
MIG--Clean tube with compound 146 63
MIG welding set 146 62
WHEELED VEHICLE, GENERAL
Spark plugs, saving 151 12
WINCH
5-Ton Truck--Lubing 151 15
WIND MEASURING SET
Tail Vane--Don't paint 147 53

U.S. GOVERNMENT PRINTING OFFICE : 1965 O—786-099

HOW FAST 'N HOW FAR



COULD YOUR OUTFIT MOVE IF THE WORD CAME DOWN TO GO?